

Table 6. Estimated numbers of AIDS cases, by race/ethnicity and region of residence, 2000–2004—United States

Region of residence	Year of diagnosis					Cumulative through 2004 ^a
	2000	2001	2002	2003	2004	
White, not Hispanic						
Northeast	2,777	2,500	2,466	2,540	2,534	87,642
Midwest	1,510	1,481	1,580	1,616	1,697	47,288
South	4,107	4,186	4,458	4,563	5,028	125,743
West	2,982	2,883	3,097	2,934	2,754	114,368
U.S. dependencies, possessions, and associated nations	2	1	3	5	0	114
Total	11,378	11,052	11,604	11,657	12,013	375,155
Black, not Hispanic						
Northeast	6,190	5,791	5,298	5,557	5,523	129,528
Midwest	2,034	2,021	2,192	2,326	2,235	38,536
South	9,973	10,386	11,115	11,626	12,130	181,573
West	1,290	1,247	1,311	1,152	1,063	29,254
U.S. dependencies, possessions, and associated nations	23	28	18	24	14	387
Total	19,510	19,473	19,934	20,685	20,965	379,278
Hispanic						
Northeast	2,993	2,788	2,479	2,886	2,924	70,156
Midwest	371	387	447	472	487	6,905
South	1,588	1,865	1,975	2,166	2,384	33,613
West	1,875	1,785	1,959	2,040	1,910	37,439
U.S. dependencies, possessions, and associated nations	1,130	1,150	1,047	1,068	967	29,051
Total	7,957	7,974	7,907	8,632	8,672	177,164
Asian/Pacific Islander						
Northeast	94	83	99	124	117	1,578
Midwest	22	25	37	37	51	347
South	54	47	60	93	113	866
West	179	216	240	220	206	4,456
U.S. dependencies, possessions, and associated nations	1	10	4	3	1	69
Total	350	381	440	478	488	7,317
American Indian/Alaska Native						
Northeast	16	16	12	24	21	253
Midwest	21	17	27	22	16	397
South	51	48	46	52	42	765
West	87	87	101	90	114	1,670
U.S. dependencies, possessions, and associated nations	0	0	0	0	0	0
Total	175	169	186	189	193	3,084
Total cases ^b						
Northeast	12,105	11,212	10,395	11,149	11,158	289,792
Midwest	3,968	3,949	4,303	4,495	4,498	93,701
South	15,841	16,598	17,751	18,612	19,792	343,449
West	6,443	6,258	6,745	6,474	6,083	187,730
U.S. dependencies, possessions, and associated nations	1,156	1,190	1,073	1,100	982	29,634
Total	39,513	39,206	40,267	41,831	42,514	944,306

Note. These numbers do not represent reported case counts. Rather, these numbers are point estimates, which result from adjustments of reported case counts. The reported case counts are adjusted for reporting delays and for redistribution of cases in persons initially reported without an identified risk factor. The estimates do not include adjustment for incomplete reporting.

^a Includes persons with a diagnosis of AIDS since the beginning of the epidemic.

^b Includes persons of unknown race or multiple races. Because column totals were calculated independently of the values for the subpopulations, the values in each column may not sum to the column total.